

Removal of Your Central Venous Catheter (CVC)

Here is what to expect when your central venous catheter (CVC) is removed. Your catheter may be taken out in a hospital procedure room or in an outpatient clinic.

- The area around your CVC catheter may be numbed with medicine before it is removed. You may feel some pressure when the catheter is pulled out.
- Sutures (stitches) or steri-strips (small tapes) may be used to close the area where the catheter was removed. A dressing (bandage) will be put over the area.

Care After the CVC is Removed

- Keep the dressing clean and dry.
- The dressing can be removed after 24 hours.
- **Do not** remove the steri-strips (small tapes). They will fall off on their own in about 10 to 14 days.
- Keep the incision area (where catheter was removed) clean, dry and open to the air until it heals. The area should heal in 10 to 14 days.
- To prevent infection, the area where the catheter was removed, should not be put under water. **Do not** swim in a pool or lake and **do not** use a hot tub or bathtub for 2 weeks, or as directed by your doctor.
- Talk to your doctor or nurse if you have any questions or concerns about your catheter removal and care.

This handout is for informational purposes only. Talk with your doctor or health care team if you have any questions about your care.



Retirada del catéter venoso central (Central Venous Catheter, CVC)

Esto es lo que debe esperar cuando se le retire el CVC. El catéter puede retirarse en la sala de procedimientos del hospital o en una clínica ambulatoria.

- La zona que rodea el catéter CVC puede adormecerse con un medicamento antes de retirarlo. Es posible que sienta algo de presión cuando se extraiga el catéter.
- Se pueden utilizar suturas (puntos) o tiras estériles (pequeñas cintas) para cerrar la zona donde se retiró el catéter. Se colocará un apósito (vendaje) sobre la zona.

Cuidados tras la retirada del CVC

- Mantenga el apósito limpio y seco.
- El apósito puede quitarse después de 24 horas.
- **No** retire las tiras estériles (pequeñas cintas). Se saldrán solas dentro de 10 a 14 días.
- Mantenga la zona de la incisión (donde se retiró el catéter) limpia, seca y aireada hasta que sane. Debería sanar en un plazo de 10 a 14 días.
- Para prevenir la infección, la zona donde se retiró el catéter no debe ponerse bajo el agua. **No** se bañe en una piscina o lago y **no** utilice una bañera o jacuzzi durante 2 semanas, o según le indique su médico.
- Hable con el médico o el personal de enfermería si tiene alguna pregunta o inquietud sobre la retirada y el cuidado de su catéter.

Este folleto solo tiene fines informativos. Comuníquese con su médico o equipo de atención médica si tiene alguna pregunta.

This handout is for informational purposes only. Talk with your doctor or health care team if you have any questions about your care.

Call your doctor if you have any of the following:

- **Signs of Bleeding**

- ▶ Bleeding at the incision area
- ▶ Oozing blood
- ▶ Swelling under the skin
- ▶ Bruising around the incision area

If you have bleeding, apply firm pressure on the incision area, sit upright and remain still. To help apply firm pressure, roll up a dry washcloth and place it over the area.

- **Signs of Infection**

- ▶ Chills or fever of 100.4 degrees Fahrenheit (38 degrees Celsius) or higher
- ▶ Redness, tenderness, and swelling around the incision area
- ▶ Foul smelling drainage or pus from the incision area

Llame al médico si presenta alguno de los siguientes síntomas:

- **Señales de sangrado**
 - ▶ Sangrado en la zona de la incisión.
 - ▶ Sangre que rezuma.
 - ▶ Hinchazón debajo de la piel.
 - ▶ Moretones alrededor de la zona de la incisión.
- Si tiene sangrado, aplique una presión firme en la zona de la incisión, siéntese erguido y permanezca quieto. Para ayudar a aplicar una presión firme, enrolle un paño seco y colóquelo sobre la zona.
- **Señales de infección**
 - ▶ Escalofríos o fiebre de 100.4 grados Fahrenheit (38 grados Celsius) o más alta.
 - ▶ Enrojecimiento, sensibilidad e hinchazón alrededor de la zona de la incisión.
 - ▶ Drenaje maloliente o pus en la zona de la incisión.